

# Safety data sheet

Page: 1/9

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

## 1. Identification of the substance/mixture and of the company/undertaking

### Product identifier

## **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

### Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Polymer, for industrial processing only

### Details of the supplier of the safety data sheet

#### Company:

BASF SE

67056 Ludwigshafen

GERMANY

Engineering Plastics Europe

Telephone: +49 621 60-78780

E-mail address: [ultraplaste.infopoint@basf.com](mailto:ultraplaste.infopoint@basf.com)

### Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Label elements

According to Directive 67/548/EEC or 1999/45/EC

The product does not require a hazard warning label in accordance with EC Directives.

### Classification of the substance or mixture

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

According to Regulation (EC) No 1272/2008 [CLP]

**|** No need for classification according to GHS criteria for this product.

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:

No specific dangers known, if the regulations/notes for storage and handling are considered.

Danger of burns while handling the hot product.

### **Other hazards**

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

---

## **3. Composition/Information on Ingredients**

### **Mixtures**

Chemical nature

Preparation based on: polyamide (PA 6)

additives, fillers, flameproofing agent, nitrogenous compounds

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1)

Content (W/W): >= 1 % - <= 15 % STOT RE 2

CAS Number: 37640-57-6 H373

EC-Number: 253-575-7

REACH registration number:

01-2119510711-53

Hazardous ingredients

according to Directive 1999/45/EC

1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, compound with 1,3,5-triazine-2,4,6-triamine (1:1)

Content (W/W): >= 1 % - <= 15 %

CAS Number: 37640-57-6

EC-Number: 253-575-7

REACH registration number: 01-2119510711-53

Hazard symbol(s): Xn

R-phrase(s): 48/22

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

---

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

---

## 4. First-Aid Measures

### Description of first aid measures

On skin contact:

Burns caused by molten material require hospital treatment.

### Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known.

### Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder

### Special hazards arising from the substance or mixture

At temperatures of > 300 °C can be emitted: carbon monoxide, hydrogen cyanide; hydrocyanic acid  
Formation of further decomposition and oxidation products depends upon the fire conditions. Under special fire conditions traces of other toxic substances are possible.

### Advice for fire-fighters

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

### Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

### Environmental precautions

No special precautions necessary.

### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

### Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## 7. Handling and Storage

### Precautions for safe handling

Protection against fire and explosion:

---

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities:  
 Suitable materials for containers: Low density polyethylene (LDPE)

**Specific end use(s)**

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

**8. Exposure Controls/Personal Protection**
**Control parameters**Components with workplace control parameters

The limit values will not be achieved if the product is processed proper and suitable ventilation is provided.

**Exposure controls**Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

---

**9. Physical and Chemical Properties**
**Information on basic physical and chemical properties**

Form:	granules	
Colour:	various, depending on the colourant	
Odour:	odourless	
Odour threshold:	not applicable	
pH value:	not applicable	
Melting temperature:	approx. 220 °C	(DIN 53765)
Boiling range:	The substance / product decomposes therefore not determined.	
Flash point:	not applicable	
Evaporation rate:	not applicable	

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Ignition temperature: > 400 °C

Vapour pressure:

Date of print 20.03.2012  
(ASTM D1929)

Density: not applicable  
1.10 - 1.60 g/cm<sup>3</sup>  
(20 °C)

(EN ISO 1183-1)

Relative density:

No data available.

Relative vapour density (air):

not applicable

Solubility in water: insoluble

Partitioning coefficient n-octanol/water (log K<sub>ow</sub>):

not applicable

Self ignition: not self-igniting

Thermal decomposition: > 300 °C

Explosion hazard: not explosive

### Other information

Bulk density: 500 - 800 kg/m<sup>3</sup>

---

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions known.

The product is chemically stable.

### Conditions to avoid

Temperature: > 300 °C

### Incompatible materials

Substances to avoid:

No substances known that should be avoided.

### Hazardous decomposition products

Hazardous decomposition products:

carbon monoxide, hydrogen cyanide; hydrocyanic acid

---

## 11. Toxicological Information

### Information on toxicological effects

Acute toxicity

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

Assessment of acute toxicity:

Contact with molten product may cause thermal burns.

#### Irritation

Assessment of irritating effects:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Experimental/calculated data:

Serious eye damage/irritation: May cause mechanical irritation.

#### Respiratory/Skin sensitization

Assessment of sensitization:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Germ cell mutagenicity

Assessment of mutagenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Carcinogenicity

Assessment of carcinogenicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Reproductive toxicity

Assessment of reproduction toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

not applicable

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Aspiration hazard

No aspiration hazard expected.

#### Other relevant toxicity information

---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

---

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

---

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the structure of the product. There is a high probability that the product is not acutely harmful to aquatic organisms.

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

Experience shows this product to be inert and non-degradable.

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

### Bioaccumulative potential

Bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

### Mobility in soil (and other compartments if available)

Assessment transport between environmental compartments:

Study scientifically not justified.

### Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative).

---

## 13. Disposal Considerations

### Waste treatment methods

Check for possible recycling.

Incinerate in suitable incineration plant, observing local authority regulations.

Contaminated packaging:

Packs must be completely emptied.

Completely emptied packagings can be given for recycling.

---

## 14. Transport Information

### Land transport

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

ADR

Not classified as a dangerous good under transport regulations

RID

Not classified as a dangerous good under transport regulations

**Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

**Sea transport**

IMDG

Not classified as a dangerous good under transport regulations

**Air transport**

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

**15. Regulatory Information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

**Chemical Safety Assessment**

Chemical Safety Assessment not required

Product is not classified as hazardous.

A safety data sheet for this product is legally not required and is provided by us just as a courtesy to our customers.

---

**16. Other Information**

In addition to the information given in the safety data sheet we refer to the product specific 'Technical Information'.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xn	Harmful.
48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
STOT RE	Specific target organ toxicity — repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure.



---

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 09.03.2012

Version: 2.0

Product: **ULTRAMID® B3U30G4 WHITE 15458 POLYAMIDE**

(ID no. 30545352/SDS\_GEN\_EU/EN)

Date of print 20.03.2012

---

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.